

Фризеры для слаша настольные 877НВ, большой емкости CS900

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eze@nt-rt.ru || сайт: <http://electrofreeze.nt-rt.ru/>



~ Taste the Difference ~

CS900

This counter-model high volume slush freezer features a small footprint. The CS900's consistency control is designed to dispense the finest frozen product available. Great for restaurants, QSRs, beach resorts, bars and restaurants.

Durable & Long-Lasting Scraper Blades

assure smooth consistent product.

Large Hopper

Dispense large volumes in a short period of time.

Self Closing Spigots

prevents the mess and eliminates waste.

Compact Design
with small footprint.


Air Filter

washable filter keeps the condenser clean.

Optional

- **Flavor Rack**
- **Top Air Discharge Chute** the top air discharge chute on air cooled models allows units to be set side by side and air flow to be diverted up.
- **Cabinet** an optional commercial grade stainless steel cabinet is available includes heavy duty casters, a sturdy latch and gives you 6 cubic feet of storage.

CS900 Slush and Cocktail Freezer



MODEL CS900 SPECIFICATIONS

Due to continual product improvements *all specifications are subject to change without notice.*

Weights	lbs.	kgs.	
Net	294	133.36	
Crated	390	176	
	cu.ft.	cu.m.	
Volume	39.47	1.12	
Dimensions	in.	cm	
Width	18-7/16	46.83	
Depth	28-1/8	71.44	
Height	35-1/4	89.54	
Electrical	Maximum Fuse Size	NEMA Plug Type	Poles (P) Wires (W)
208-230/60/1 Air	12.5	6-20P	2P, 2W
	Total Amps	kW	Poles (P) Wires (W)
220-240/50/1 Air	12	2.4	2P, 2W

Electrical characteristics other than above available on request from factory or local distributor. Check nameplate for exact electrical data.

Specs are subject to change pending UL certification.

Bidding Spec

Electrical: Volt _____ Hz _____ Ph _____

Cooling: _____ Neutral _____ Yes _____ No

Options: _____

Electrical

One dedicated electrical connection is required. Connects to a standard NEMA 6-20R receptacle. See electrical chart for the proper requirement. Consult your local electrical codes for receptacle specifications.

Beater Motor

One, 1/2 hp.

Refrigeration Systems

One, 8,000 Btuh. R404a.
Btuh may vary depending on compressor used.

Air Cooled

3" (7.6cm) air space required on both sides and the rear panel for proper air circulation.

Mix Hopper Capacity: one - 20 quarts (18.8 liters)

Freezing Cylinder Capacity: one - 7.6 quarts (7.1 liters)



- TASTE THE DIFFERENCE -

MODEL 876B & 876BRH with Refrigerated Hopper

Fast, easy, portion-controlled, labor saving frozen cocktails from a machine that will last! This high-volume, counter-model cocktail freezer is pre-set for a high-quality, thicker consistency beverage, perfect for premixed cocktails like margaritas, daiquiris and spiked teas. The large visual product window provides excellent display and merchandising of fun beverage colors. Product viscosity, or thickness, can be manually adjusted to dial-in beverages to your serving requirements. The 876B can be water-cooled for large banks of machines in operations like daiquiri bars. There is an option for a refrigerated hopper (BRH) for serving real fruit or dairy mixes, like frozen cappuccinos! This model is perfect for bars, nightclubs, Mexican restaurants and taquerias.

MODEL 877HB & 877HBRH with Refrigerated Hopper

Fast, easy, portion-controlled, labor saving frozen cocktails from a machine that will last! This counter-model cocktail freezer produces the same high-quality cocktails as the 876B but at a size that's perfect for operations that do not require the volume. The pre-set thicker consistency is perfect for premixed drinks like margaritas, daiquiris and specialty cocktails. The large visual product window provides excellent display and merchandising of fun beverage colors. Product viscosity, or thickness, can be manually adjusted to dial-in beverages to your serving requirements. There is an option for a refrigerated hopper (HBRH) for serving fruit or dairy mixes, like frozen cappuccinos! This model is perfect for bars, nightclubs, Mexican restaurants and taquerias.

The Electro Freeze Advantage

- **Product Consistency Control** provides a smooth frozen product with tiny uniform ice crystals.
- **Minimal Maintenance**, simple to operate and easy to clean.
- **Add to Your Profits** with the sale of frozen beverages producing large profit margins.
- **Experience Tells** Electro Freeze has been manufacturing quality frozen treat machines since 1929. Superior engineering, product innovations, sturdy construction, quality craftsmanship and dependable performance are Electro Freeze hallmarks.
- **Superior Service Support** backed by a worldwide distributor network.

COCKTAIL FREEZERS


MODEL 876B
MODEL 876BRH




MODEL 877HB
MODEL 877HBRH



876B



877HB



MODEL 876B & 877HB SPECIFICATIONS

Due to continual product improvements all specifications are subject to change without notice.

Weights	876B		877HB	
	lbs.	kgs.	lbs.	kgs.
Net	255	116	210	95
Crated	274	124	245	111
Volume	cu.ft.	cu.m.	cu.ft.	cu.m.
	20.53	0.58	20.53	0.58
Dimensions	in.	cm	in.	cm
	Width	17-3/16 43.66	13.75	34.93
	Depth	24-3/4 62.87	23	58.42
	Height	36-19/32 92.97	33	83.82
Electrical	Maximum Fuse Size		NEMA Plug Type	
	115/60/1 Air 20A		5-20P	

Electrical characteristics other than above available on request from factory or local distributor. Check nameplate for exact electrical data.

Bidding Spec

Electrical: Volt _____ Hz _____ Ph _____

Cooling: _____ Neutral _____ Yes _____ No

Options: _____

Electrical

One dedicated electrical connection is required. 60 Hertz units connect to a standard NEMA 5-20P receptacle. See electrical chart for the proper requirement. Consult your local electrical codes for cord and receptacle specifications.

Beater Motor

One, 1/4 hp.

Refrigeration Systems

One, 5,700 Btuh.

Btuh may vary depending on compressor used.

Air Cooled

876- 3" (7.62 cm) air space required on both sides and the rear panel for proper air circulation.

877HB-12" (30.5 cm) air space required on both sides and 6" (15.2 cm) air space required on rear panel for proper air circulation and be open on the top.

Mix Hopper Capacity: 20 quarts (18.93 liters)

Freezing Cylinder Capacity: 876-14.6 quarts (13.82 liters)

877HB- 7.6 quarts (7.1liters)

Certified and/or listed by:



*UL listed and listed by Underwriters Laboratories under Canadian National Standard C22.2 No. 120-13



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eze@nt-rt.ru || сайт: <http://electrofreeze.nt-rt.ru/>